

Yoshiki NAKAGAWA et al.

Docket No. 010903

REMARKS


The above amendment is believed to place the claims in proper condition for examination.
Early and favorable action is awaited.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made."

In the event there are any additional fees required, please charge our Deposit Account No. 01-2340.

Respectfully submitted,

ARMSTRONG, WESTERMAN, HATTORI,
McLELAND & NAUGHTON, LLP


Stephen G. Adrian
Reg. No. 32,878

Atty. Docket No. 010903
Suite 1000
1725 K Street, N.W.
Washington, D.C. 20006
Tel: (202) 659-2930
SGA/yap

VERSION WITH MARKINGS TO SHOW CHANGES MADE

Claims 5, 8, 11-13, 17-22, 24-25, 30, 32, 35-39, 43-48 and 50-51 have been amended as follows:

5. (Amended) The production method according to [any of Claims 1 to 4] Claim 1, wherein the compound (I) is a functional group-containing cyclic olefin.

8. (Amended) The production method according to [any of Claims 1 to 7] Claim 1, wherein the living radical polymerization is carried out in the manner of atom transfer radical polymerization.

11. (Amended) The production method according to [any of Claims 8 to 10] Claim 8, wherein an organic halide having a functional group in addition to an initiation site or a halosulfonyl compound having a functional group in addition to an initiation site is used as an initiator.

12. (Amended) The production method according to [any of Claims 8 to 11] Claim 8, wherein an initiator having a plurality of initiation sites is used as an initiator.

13. (Amended) A vinyl polymer
having a functional group at a molecular terminus
and being obtainable by the production method according to [any of Claims 1 to 12] Claim

1.

17. (Amended) The polymer according to [any of Claims 13 to 16] Claim 13
which has a number average molecular weight of 500 to 100,000.

Yoshiki NAKAGAWA et al.

Docket No. 010903

18. (Amended) The polymer according to [any of Claims 13 to 17] Claim 13
which has a weight average molecular weight (Mw)/ number average molecular weight (Mn)
ratio (Mw/Mn) of less than 1.8 as determined by gel permeation chromatography.

19. (Amended) A vinyl polymer
having a crosslinking silyl group at a molecular chain terminus
and being producible by reacting a vinyl polymer, which has an alkenyl group at a molecular
chain terminus and is producible by the production method according to [any of Claims 1 to 12]
Claim 1, with a crosslinking silyl-containing hydrosilane compound.

20. (Amended) A vinyl polymer having a crosslinking silyl group at a molecular chain
terminus
and being producible by reacting a vinyl polymer, which has a hydroxyl or amino group at
a molecular chain terminus and is producible by the production method according to Claim 1, [2,
3, 8, 9, 10, 11 or 12] or th a crosslinking silyl-containing compound having a functional group
capable of reacting with a hydroxyl or amino group.

21. (Amended) A curable composition comprising:
(A) a vinyl polymer, which has an alkenyl group at a molecular chain terminus and is
producible by the production method according to [any of Claims 1 to 12] Claim 1,
and (B) a compound having at least two hydrosilyl groups.

22. (Amended) A curable composition comprising:
(A) a vinyl polymer, which has a hydroxyl or amino group at a molecular chain terminus and
is producible by the production method according to Claim 1[, 2, 3, 8, 9, 10, 11 or 12].
and (B) a compound having at least two functional groups capable of reacting with a
hydroxyl or amino group.

Yoshiki NAKAGAWA et al.

Docket No. 010903

24. (Amended) A curable composition comprising:
a vinyl polymer, which has a crosslinking silyl group at a molecular chain terminus and is producible by the production method according to Claim 1[, 2, 3, 8, 9, 10, 11 or 12].
25. (Amended) A curable composition comprising:
(A) A vinyl polymer, which has an epoxy group at a molecular chain terminus and is producible by the production method according to Claim 1[, 2, 3, 8, 9, 10, 11 or 12].
and (B) a curing agent for epoxy resins.
30. (Amended) The production method according to [any of Claims 26 to 29] Claim 26,
wherein a conjugated polyene structure in the conjugated polyene compound (II) is a conjugated diene structure.
32. (Amended) The production method according to [any of Claims 26 to 31] Claim 26,
wherein the living radical polymerization is carried out in the manner of atom transfer radical polymerization.
35. (Amended) The production method according to [any of Claims 32 to 34] Claim 32,
wherein an organic halide having a functional group in addition to an initiation site or a halosulfonyl compound having a functional group in addition to an initiation site is used as an initiator.
36. (Amended) The production method according to [any of Claims 32 to 35] Claim 32,
wherein an initiator having a plurality of initiation sites is used as an initiator.
37. (Amended) The production method according to [any of Claims 26 to 36] Claim 26,
wherein the conjugated polyene compound (II) is added at the end point of the polymerization reaction.

Yoshiki NAKAGAWA et al.

Docket No. 010903

38. (Amended) A vinyl polymer
having a functional group at a molecular chain terminus
and being obtainable by treating a vinyl polymer, which has the functional group at a molecular chain terminus and is obtainable by the production method according to [any of Claims 26 to 37] Claim 26, with an alkaline compound to thereby eliminate the remaining terminal halogen.

39. (Amended) A vinyl polymer
having a functional group at a molecular chain terminus
and being obtainable by the production method according to [any of Claims 26 to 38] Claim 26.

43. (Amended) The polymer according to [any of Claims 39 to 42] Claim 39
which has a number average molecular weight of 500 to 100,000.

44. (Amended) The polymer according to [any of Claims 39 to 42] Claim 39
which has a weight average molecular weight (Mw)/number average molecular weight (Mn) ratio (Mw/Mn) of less than 1.8 as determined by gel permeation chromatography.

45. (Amended) A vinyl polymer
having a crosslinking silyl group at a molecular chain terminus and
being producible by reacting a vinyl polymer, which has an alkenyl group at a molecular chain terminus and is producible by the production method according to [any of Claims 26 to 38] Claim 26, with a crosslinking silyl-containing hydroxilane compound.

46. (Amended) A vinyl polymer
having a crosslinking silyl group at a molecular chain terminus
and being producible by reacting a vinyl polymer, which has a hydroxyl or amino group at a molecular chain terminus and is producible by the production method according to Claim 29, [30,

Yoshiki NAKAGAWA et al.

Docket No. 010903

32, 33, 34, 35, 36, 37 or 38] with a crosslinking silyl-containing compound having a functional group capable of reacting with a hydroxyl or amino group.

47. (Amended) A curable composition comprising:

(A) a vinyl polymer, which as an alkenyl group at a molecular chain terminus and is producible by the method according to [any of Claims 26 to 38] Claim 26,
and (B) a compound having at least two hydrosilyl groups.

48. (Amended) A curable composition comprising:

(A) a vinyl polymer, which has a hydroxyl or amino group at a molecular chain terminus and is producible by the production method according to Claim 29, [30, 32, 33, 34, 35, 36, 37 or 38,]
and (B) a compound having at least two functional groups capable of reacting with a hydroxyl or amino group.

50. (Amended) A curable composition comprising:

a vinyl polymer, which has a crosslinking silyl group at a molecular chain terminus and is producible by the production method according to Claim 29[, 30, 32, 33, 34, 35, 36, 37 or 38].

51. (Amended) A curable composition comprising:

(A) a vinyl polymer, which as an epoxy group at a molecular chain terminus and is producible by the production method according to Claim 29[, 30, 32, 33, 34, 35, 36, 37 or 38],
and (B) a curing agent for epoxy resins.